

PRESCRIPTION CHART

Local Anaesthetic Infiltration

Site:

(eg. rib / TAP etc.)

WARD

Pain Control Service

Great Ormond Street Hospital for Children

NHS Foundation Trust, Great Ormond Street, London, WC1N 3JH

0.125%

Levobupivacaine

UNILATERAL

SURNAME

FIRST NAME

HOSPITAL NUMBER

D.O.B.

AGE

WEIGHT

ALLERGIES

SPECIAL INSTRUCTIONS

For patients > 5kg

Maximum rates: unilateral block: 0.3ml/kg to max 10 ml/hr

NB: Over-ride boluses must only be given by an anaesthetist / member of the Pain Control Service

LOCAL ANAESTHETIC INFILTRATION

LEVOBUPIVACAINE 0.125% PLAIN

1250 micrograms/ml

DATE

DOSE RANGE
(maximum rate of
10 ml/hour)

ROUTE
(E.G. TAP)

HR

... ml/hr to ... ml/hr
> 5kg 0.1 - 0.3 ml/kg/hr

.
LEFT /
RIGHT

Maximum Dose in 4 hours

..... mls

2mls/kg (max 75mls)

MIN

Bolus doses (pain team only:

0.1ml/kg (max 5ml)

Not to exceed max 4 hourly dose
(see above)

BOLUS

START DATE

SIGNATURE

BLEEP

0577

BAG
CHANGE

PHARMACY USE

SIGN

See overleaf for protocol