

Date: **11 April 2019**

Our reference: **FOIRQ5165**

Dear Sir/Madam,

Thank you for your request for information processed under the Freedom of Information Act 2000. Please see our response to your request below:

**Your Request and Our Response**

*Can you kindly provide me information on the ECG Machines used for Exercise Stress Tests, more specifically*

**Please see our response (in bold) to the information requested in the following table:**

<i>Model of ECG Stress Machine</i>	<i>No of ECG Stress Machines currently in use</i>	<i>Model of Blood pressure monitor connected to stress test machine</i>	<i>Year the Blood Pressure monitor was bought</i>
<b>Mortara thermal ecg printer Z200 series SN 111250085211 Sept 2011</b>	<b>1</b>	<b>Manual BP not connected to machine greenlight 300</b>	<b>2012</b>

Please note:

The information provided under the Freedom of Information Act 2000 is the information held on the date the request was received by the Trust.

I trust the information provided is sufficient and helps to answer any concerns, questions or issues you may have.

If you should have any further queries related to this request, please do not hesitate to contact the FOI Team. Please ensure that the above reference number is quoted on any correspondence.

Re-use of information

The information provided is Trust copyright. You may re-use this Great Ormond Street Hospital for Children NHS Foundation Trust copyright

information in accordance with the Open Government Licence:  
<http://www.nationalarchives.gov.uk/doc/open-government-licence/version/2/>  
(Please note that re-use of personal data is not allowed under this license.)

For information which is not Great Ormond Street Hospital for Children NHS Foundation Trust copyright, e.g. external websites, please contact the named party directly.

Yours sincerely

**Freedom of Information team**

Great Ormond Street Hospital for Children NHS Foundation Trust  
Email: [foiteam@gosh.nhs.uk](mailto:foiteam@gosh.nhs.uk)

**[Enclosed – Your rights – see next page]**

### **Your Rights**

If you are not dissatisfied with the response you have received to your request for information, please contact the FOI team and quote your reference number on all correspondence relating to your request.

You can also write to the Head of Quality & Safety at the following address:

Quality & Safety team  
Great Ormond Street Hospital  
LONDON  
WC1N 3JH

If you are still not satisfied with your response, you also have the right to appeal to the Information Commissioner.

You can contact the Information Commissioner's Office at the following address:

Information Commissioner's Office  
Wycliffe House  
Water Lane  
Wilmslow  
Cheshire  
SK9 5AF