

Date: 8 November 2019

Our reference: FOIRQ5510

Dear Sir/Madam.

Thank you for your request for information, which we have processed under the Freedom of Information Act 2000. Please see our response to your following request for information:

Your Request and Our Response (in bold)

Please see our response to your following request for information relating to Changes Places facilities:

- 1. What is the name of your NHS trust? Great Ormond Street Hospital NHS Foundation Trust
- 2. Please can you name all of the NHS hospitals that come under your trust. Great Ormond Street Hospital is a single site, specialist tertiary paediatric trust.
- 3. Please can you outline how many of the hospitals in Q2 have Changing Places toilets. Please break this down by the name of the hospital and how many Changing Places facilities are in that hospital. Please see the attached poster "Changing Places" covering toilets and changing facilities for persons requiring a hoist and change table; which are available near every changing places toilet to enable visitors to see where alternative facilities are located within the hospital. GOSH is also partnering up with Assess Able providing further information about our facilities and overall accessibility via the following website link:

https://www.accessable.co.uk/great-ormond-street-hospital-for-children-nhs-foundation-trust/great-ormond-street-hospital-for-children-nhs-foundation-trust/access-guides/great-ormond-street-hospital-for-children-main-building-guide

4. Of the hospitals in Q3 that have Changing Places, please can you tell me where the facility is located in the hospital e.g Department/Floor Please see attached poster "Changing Places"



5. Please can you tell me if your NHS Trust has applied for funding to install Changing Places facilities within your NHS hospitals. If known please provide information on which hospitals you plan to install them in. This question is not entirely a request for recorded information under the Freedom of Information Act 2000. Outside the terms of the Act the Trust has not applied for funding to install Changing Places facilities.

Please note:

The information we have provided under the Freedom of Information Act 2000 is the information held on the date your request was received by the Trust.

We hope the information provided is sufficient and helpful in answering your questions or any issues or concerns. Should you have any further queries in relation to this request, please do not hesitate to contact the FOI Team and quote the above reference number on any related correspondence.

Re-use of information

The information provided is Trust copyright. You may re-use this Great Ormond Street Hospital for Children NHS Foundation Trust copyright information in accordance with the Open Government Licence: http://www.nationalarchives.gov.uk/doc/open-government-licence/version/2/ (Please note that re-use of personal data is not allowed under this license.)

For information which is not Great Ormond Street Hospital for Children NHS Foundation Trust copyright, e.g. external websites, please contact the named party directly.

Yours sincerely

Freedom of Information team

Great Ormond Street Hospital for Children NHS Foundation Trust Email: foiteam@gosh.nhs.uk

[Enclosed – Your rights – see next page]



Your Rights

Should you remain dissatisfied with the response you have received to your request for information, please contact the FOI Team to make a request for an internal review within two months from the receipt date of our response to your original request. You can also write to the Head of Quality & Safety at the following address:

Quality & Safety team Great Ormond Street Hospital LONDON WC1N 3JH

If, however, you remain dissatisfied with the outcome of the internal review then you have the right to appeal to the Information Commissioner as the final stage of the FOI process. You can contact the Information Commissioner's Office at the following address:

Information Commissioner's Office Wycliffe House Water Lane Wilmslow Cheshire SK9 5AF